

2025 | ★★★★★

Standard

Tested Model
AION V Premium, LHD

Body Type
SUV

Kerb Weight
1840 kg

Class
Small Family Car

Rating applies to
all AION V

Publication
September 2025



Verdict

The passenger compartment of the AION V remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of both the driver and the front seat passenger. AION showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the AION V would be a benign impact partner in a frontal collision. In the full-width rigid barrier test, protection was good for all critical body regions of both the driver and the rear seat passenger. In the side barrier test, the AION V provided good protection to all critical body areas and scored maximum points. In the more severe side pole impact, the driver's chest protection was rated as marginal, based on dummy readings of rib compression. Control of excursion (the extent to which a body is thrown to the other side of the vehicle when it is hit from the far side) was found to be adequate. The AION V has a countermeasure to mitigate against occupant-to-occupant injuries in such impacts. The airbag performed well in Euro NCAP's tests with dummy readings indicating good protection for

both the driver and passenger. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The car has an advanced eCall system which alerts the emergency services in the event of a crash, and a system to prevent secondary impacts after the car has been in a collision. AION demonstrated that the doors and windows would be openable to allow occupants to escape in the event of vehicle submergence. In both the frontal offset and the side barrier tests, protection was good for all critical body areas, for the 6 and 10 year dummies, and the AION V scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The AION V is equipped with a direct 'child presence detection' system, which issues a warning when it detects that a child or infant has been left in the car. All of the child restraint types for which the AION V is designed could be

properly installed and accommodated in the car.

Protection of the head of a struck pedestrian or cyclist was largely good or adequate, with poor results recorded on the stiff windscreen pillars and at the base and top of the screen.

Protection of the pelvis was mostly good. Protection of the femur was good at all test locations, while that of the knee and tibia was good at all test locations. The autonomous emergency braking system of the AION V responds to vulnerable road users such as pedestrians and cyclists, as well as to other vehicles. In tests of its response to pedestrians, the system performed adequately but it does not protect those to the rear of the car.

The system performed well in tests of its reaction to cyclists, including 'dooring', in which a door is opened into the path of a cyclist approaching from behind. The system's response to motorcyclists was good.

Overall, the performance of the autonomous emergency braking (AEB) system was good in tests of its reaction to other vehicles. A seatbelt reminder system is fitted as standard to the front and rear seats. The car has a direct driver status monitoring system as standard, detecting driver fatigue and some types of distraction. The lane

support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more

critical situations. The speed assistance system identifies the local speed limit. The driver can choose to

allow the limiter to be set automatically by the system.



Adult Occupant

88%

Details



Child Occupant

85%

Details



Vulnerable Road Users

79%

Details



Safety Assist

78%

Details

● Good

● Adequate

● Marginal

● Weak

● Poor

Frontal impact

14.1 / 16 Pts

Mobile Progressive Deformable Barrier



Full Width Rigid Barrier



Lateral impact

15.4 / 16 Pts

Side Mobile Barrier




Side Pole



Far-Side Excursion



Occupant Interaction



Rear impact

3.9 / 4 Pts

Rear Seat



Front Seat



Rescue and Extrication

2 / 4 Pts

Rescue Sheet	Available, ISO compliant 
Advanced eCall	Available
Multi-collision brake	Available
Submergence check	Compliant



Adult Occupant

88%

Details



Child Occupant

85%

Details



Vulnerable Road Users

79%

Details



Safety Assist

78%

Details

● Good

● Adequate

● Marginal

● Weak

● Poor

Crash Test Performance based on 6 & 10 year old children

24 / 24 Pts

Frontal Impact - 16 Pts



Restraint for 6 year old child: Britax Römer KidFix i-Size
Restraint for 10 year old child: Graco Booster Basic R129

Lateral Impact - 8 Pts



Restraint for 6 year old child: Britax Römer KidFix i-Size
Restraint for 10 year old child: Graco Booster Basic R129

Safety Features

6 / 13 Pts

Equipment	Front Passenger	Row 2 Outboard	Row 2 Center	3rd row outboard
Isofix	×	✓	×	—
i-Size	×	✓	×	—
Top tether	×	✓	×	—
Integrated CRS	×	×	×	—
Child Presence Detection	×	✓	✓	—

Child seat installation check

12 / 12 Pts

i-Size	Isofix
Seatbelt Attached	Legend
	<ul style="list-style-type: none"> ● Easy ● Difficult ● Safety critical × Not allowed ⊗ Airbag ON A rearward-facing child restraint should never be installed in the front passenger seat when the airbag is enabled



Adult Occupant

88%

Details



Child Occupant

85%

Details



Vulnerable Road Users

79%

Details



Safety Assist

78%

Details

● Good

● Adequate


● Marginal

● Weak

● Poor

VRU Impact Protection

27.7 / 36 Pts



Pedestrian & Cyclist Head	10.5 Pts
Pelvis	3.7 Pts
Femur	4.5 Pts
Knee & Tibia	9 Pts

VRU Impact Mitigation

22.4 / 27 Pts

System Name	Forward Collision Mitigation Assist
Type	Auto-Brake with Forward Collision Warning
Operational From	8 km/h

AEB Pedestrian 5.6 / 9 Pts

Scenario	Day time	Night time
Car reversing into adult or child	■	—
Adult crossing a road into which a car is turning	■	—
Adult crossing the road	■	■
Child running from behind parked vehicles	■	■
Adult along the roadside	■	■

AEB Cyclist 7.5 / 8 Pts

Scenario	Day time
Approaching cyclist crossing from behind parked vehicles	■
Turning across path of an oncoming cyclist	■
Approaching a crossing cyclist	■
Approaching a cyclist along the roadside	■

Cyclist Dooing Prevention 0.3 / 1 Pts

Scenario	Day time
Dooing a passing cyclist	Information, driver door only

AEB Motorcyclist 6 / 6 Pts

Scenario	Autobrake function only	Driver reacts to warning
Approaching a stationary motorcyclist	■	■
Approaching a braking motorcyclist	■	■
Turn across the path of an oncoming motorcyclist	■	—

Lane Support Motorcyclist 3 / 3 Pts

Scenario	Day time
Changing lane across the path of an oncoming motorcyclist	■
Changing lane across the path of an overtaking motorcyclist	■



Adult Occupant

88%

Details



Child Occupant

85%

Details



Vulnerable Road Users

79%

Details



Safety Assist

78%

Details



Good



Adequate



Marginal



Weak



Poor

Speed Assistance

2.2 / 3 Pts

System Name	ISA(Intelligent Speed Assistance)
Speed Limit Info Function	Camera & Map, subsigns supported
Speed Control Function	Intelligent ACC (accurate to 5km/h)

Occupant Status Monitoring

2.3 / 3 Pts

Seatbelt Reminder 1 / 1 Pts

Warning	Driver Seat	Front Passenger(s)	Rear Passenger(s)
Visual	✓	✓	✓
Audible	✓	✓	✓
Occupant Detection	—	✓	✓

Driver Monitoring 1.3 / 2 Pts

System Name	Driver Monitoring System
Type	Direct eye monitoring
Operational From	10 km/h
Fatigue	Drowsiness, Microsleep and Sleep
Distraction	Long & Short Distraction and Phone Use

Lane Support

2.5 / 3 Pts

System Name	Lane Departure Assist
System Type	LKA and ELK
Min Speed (Operational From)	60 km/h

Performance

Emergency Lane Keeping	■
Lane Keep Assist	■
Human Machine Interface	■

AEB Car-to-Car

7.2 / 9 Pts

System Name	Forward Collision Mitigation Assist
Type	Autonomous emergency braking and forward collision warning
Operational From	8 km/h
Sensor Used	Camera and radar

Scenario	Autobrake function only	Driver reacts to warning
Approaching a car crossing a junction	■	■
Approaching a car head-on	■	—
Turning across the path of an oncoming car	■	—
Approaching a stationary car	■	—
Approaching a slower moving car	■	—
Approaching a braking car	■	—

Safety Equipment

Frontal crash protection

	Driver	Passenger	Rear
Front Airbag	✓	✓	—
Belt Pretensioner	✓	✓	✓
Belt Loadlimiter	✓	✓	✓
Knee Airbag	✗	✗	—

Lateral crash protection

	Driver	Passenger	Rear
Side Head Airbag	✓	✓	✓
Side Chest Airbag	✓	✓	✗
Side Pelvis Airbag	✓	✓	✗
Centre Airbag	✓	✗	—

Child protection

	Passenger	Rear
Isofix	✗	✓
i-Size	✗	✓
Integrated Child Seat	✗	✗
Airbag Cut-Off Switch	✓	
Child Presence Detection	✗	✓

Safety assist

	Driver	Passenger	Rear
Seatbelt Reminder	✓	✓	✓

Other safety systems

Active bonnet	✗
AEB vulnerable road users	✓
AEB pedestrian - reverse	✗
Cyclist dooring prevention	✓
AEB motorcyclist	✓
AEB car-to-car	✓
Speed assistance	✓
Lane assist system	✓
Fatigue detection	✓
Distraction detection	✓

Note: other equipment may be available on the vehicle but was not considered in the test year

- ✓ Fitted to the vehicle as standard ● Fitted to the vehicle as part of the safety pack ○ Not fitted to the test vehicle but available as option or as part of the safety pack ✗ Not available
— Not applicable

Rating Validity

Variants of Model Range

Body Type	Variant Description	Drivetrain	Rating Applies LHD	Rating Applies RHD
5 door SUV	Electric Motor - AION V Premium*	4x2	✓	✓

*

Annual reviews and facelifts

Date	Event	Outcome
2025-09-08	Rating Published	2025-09-08 ★★★★★ ✓